

	Type	L #	Hits
1	IS&R	L1	1
2	BRS	L2	3
3	BRS	L3	10
4	BRS	L4	10
5	BRS	L5	35442
6	BRS	L6	765
7	BRS	L7	507
8	BRS	L8	138
9	BRS	L9	110
10	BRS	L10	8

	Search Text	DBs
1	("5614445").PN.	US- PGPUB; USPAT; USOCR
2	("4916087"   "4922318"   "5023188").PN.	US- PGPUB; USPAT; USOCR
3	("5614445").URPN.	USPAT
4	("5614445").URPN.	USPAT
5	trench near5 (isolation or isolating or insulating or insulator or insulation)	US- PGPUB; USPAT
6	5 same (scribing or scribed or scribe or cut)	US- PGPUB; USPAT
7	6 same (substrate or wafer)	US- PGPUB; USPAT
8	5 same (scribing or scribed or scribe)	US- PGPUB; USPAT
9	8 same (substrate or wafer)	US- PGPUB; USPAT
10	("5229316"   "5310691"   "5401691"   "5783490"   "5786260"   "5897371"   "5950093"   "5963816").PN.	US- PGPUB; USPAT; USOCR

	Type	L #	Hits
11	BRS	L11	12
12	BRS	L12	13737
13	BRS	L13	30
14	BRS	L14	645
15	BRS	L15	836
16	IS&R	L16	1909
17	IS&R	L17	0

	Search Text	DBs
11	("6037236").URPN.	USPAT
12	trench near5 (isolation or isolating or insulating or insulator or insulation)	USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B
13	12 same (scribing or scribed or scribe)	USOCR; FPRS; EPO; JPO; DERWE NT; IBM_TD B
14	5 near10 (benefit or advantage)	US- PGPUB; USPAT
15	trench near5 ((oxide or dielectric) near3 only)	US- PGPUB; USPAT
16	(438/424).CCLS.	US- PGPUB; USPAT
17	("trenchnear3(oxideordielectric)").PN.	US- PGPUB; USPAT

	Type	L #	Hits
18	BRS	L18	20124
19	BRS	L19	72

	<b>Search Text</b>	<b>DBs</b>
<b>18</b>	trench near3 (oxide or dielectric)	US- PGPUB; USPAT
<b>19</b>	18 near6 (benefit or advantage)	US- PGPUB; USPAT